

HCR

H E A L T H C A R E

Peace of mind through **service,**
support, and **solutions.**





Providing best-in-class equipment in acute, long-term, and home care settings to **reduce operating costs, improve compliance, and enhance clinical outcomes.**



Industry Leading Responsiveness

- › Available 24/7/365
- › Clinical Support
- › On Time Delivery
- › 30 Years of Industry Experience



Innovative Wound Care & Fall Prevention Solutions

- › Negative Pressure Wound Therapy
- › Support Surfaces
- › Safe Patient Handling

NEGATIVE PRESSURE WOUND THERAPY

NPWT Promotes Healing of Chronic, Diabetic, Vascular, and Surgical Wounds



XLR8+
Hospital-Grade “Smart” Pump



DUO
Instill and Negative Pressure
Wound Therapy System

XLR8+ Features:

- Self-resolving advanced alarms with alert log
- Fully customizable settings between -40 to -230 mmHG
- Continuous and Variable Pressure
- Over 12-hour battery run time
- Lightweight pump
- HCPCS Code: E2402
- 600cc canister
- Virtually silent operation

XLR8+ Available Kits and Accessories:

- Small, Medium and Large Foam Kits
- Bridge Foam Kit
- Spiro Foam Kit
- PVA White Foam
- Silver Drape
- AMD Gauze

Hybrid Silicone Dressing Kit:

- Simple, pre-built dressing, no cutting required
- Easier on staff and patients
- Silicone adhesive is gentler on the skin and reduces adhesive reactions
- Can leave in place for up to 7 days



Duo Features:

- Combines negative pressure with instillation therapy, delivering prescribed solutions directly into the wound bed
- Instillation therapy aids in thorough cleansing of the wound bed, particularly beneficial for infected wounds
- Duo dilutes and solubilizes infectious materials, devitalized tissue, and slough, promoting a cleaner wound environment and faster wound healing

Duo Dressings:

- Perforated Foam Kit
- Spiro Foam Kit

“ We had a wonderful experience using the All In One Hybrid Dressing. It provided a very easy and quick dressing change. I would like to use it for all wounds. So simple. Great feature that it is flexible and provides a silicone adhesive layer requiring fewer dressing changes. This appears to be very comfortable for the resident with less damage to the skin when doing the dressing as no harsh pulling. ”

• **Alice Gatasi**
ADNS/Wound Nurse, Bronx Park Rehabilitation & Nursing Center

SUPPORT SURFACES

ENVELOP

DEEP FLUID ENVELOPMENT THERAPY SYSTEM



Weight Limit: 660 lbs

Sizes Available: 36" x 80"

Features: Unprecedented immersion for deep envelopment, increasing pressure redistribution to prevent and treat wounds and tissue damage

DEEP FLUID ENVELOPMENT TECHNOLOGY (DFET) simulates a fluid air environment which automatically adjusts to the person's body shape, weight, position and movement to distribute pressure, improve circulation and enhance healing

Minimizes shearing, maintains ideal skin temperature and moisture level for microclimate management



SIGNA RELIEF ALTERNATING PRESSURE WITH LOW AIR LOSS THERAPY SYSTEM

- Weight Limit:** 325 lbs
- Sizes Available:** 36" x 80"; 36" x 84"
- Features:** Designed to aid in treatment and prevention of Stage 1-4 pressure injuries and DTI
- IPS (Intelligent Pressure Sensing) Technology
 - Digital display
 - Static option
 - HCPCS Code: E0277

RELIEF AIRE ALTERNATING PRESSURE WITH LOW AIR LOSS THERAPY SYSTEM



- Weight Limit:** 450 lbs
- Sizes Available:** 36" x 80"; 42" x 80"; 36" x 84"
- Features:** Alternating pressure continuously changes contact points with skin surface to provide optimal redistribution
- Contains low air loss for moisture management
 - Designed to aid in treatment and prevention of Stage 1-4 pressure injuries and DTI
 - IPS (Intelligent Pressure Sensing) Technology
 - Digital display with adjustable cycle times
 - Firm and Upright modes
 - Lockout feature



IPS technology allows the system to ensure ideal pressure levels in the inflated zone by monitoring the air pressure every six seconds. This controlled movement of the air cells gives the benefit of alternating pressure without the extremely high peak pressures. The result is better patient comfort, lower interface pressures, and superior clinical results.



RELIEF AIRE IMMERSION THERAPY SYSTEM

- Weight Limit:** Standard - 300 lbs • Bariatric - up to 1000 lbs
- Sizes Available:** 36" x 80"; 42" x 80"; 48" x 80"; 54" x 80"; 36" x 84
- Features:** True Low Air Loss allows advanced immersion for pressure redistribution and microclimate management
- Vapor permeable anti-shear cover allows for moisture control
- Designed to treat and prevent Stage 1-4 pressure injuries, DTI, Flap/Graft, burns, surgical sites, and moisture associated skin damage
- Firm, Upright and CPR modes
- Lockout feature

TITAN FULLY INTEGRATED LOW AIR LOSS THERAPY BED SYSTEM

True Low Air Loss Surface with Microclimate Control



- Weight Limit:** 600 lbs
- Sleep Surface:** 36" x 84"
- Features:** Provides pressure redistribution with microclimate management
- Anti-shear cover allows for moisture control
- Hi/Lo - Deck height 7" to 30"
- Full Electric Articulation - including Trendelenburg and Reverse Trendelenburg
- Autofirm and Pulsate modes
- 3 pressure zones for advanced pressure relief
- HCPCS Code: E0193

RELIEF TURN TURNING THERAPY SYSTEM

Continuous Lateral Rotation + True Low Air Loss



Weight Limit: Standard - 650 lbs • Bariatric - up to 1000 lbs

Sizes Available: 36" x 80"; 42" x 80"; 48" x 80"

Features: Designed to prevent and treat Stage 1-4 pressure injuries, DTI, Flap/Graft, burns, surgical sites and moisture associated skin damage
Simultaneously provides pulmonary hygiene to improve respiratory function
Cost-effective solution, reducing wound healing time and overall costs
Lateral Rotation Therapy reduces the risk of pulmonary and respiratory complications for immobile patients and provides pressure redistribution
Customizable Turning: Left/Right/Full; 25° Small Turn and 40° Big Turn
Firm and Upright modes
True Low Air Loss provides immersion therapy, pressure redistribution and microclimate control
Cycle time 5-95 minutes



AIR FLUIDIZED THERAPY BED SYSTEM

Weight Limit: 400 lbs

Sleep Surface: 32" x 84"

Features: Available in NJ
HCPCS Code: E0194



REDUCE MAX PRESSURE REDISTRIBUTION SURFACE

High Quality High Density Foam Pressure Redistributing Support Surface

Weight Limit: 400 lbs

Sizes Available: 36" x 80"; 36" x 84"; 36" x 88"; 42" x 80"

Features: Prevent and manage up to Stage 2 pressure injuries
Heel Ease – reduces pressure in critical heel section
Available with a raised 2" side bolster – provides perimeter to reduce risk for falls
5 year warranty

RELIEF MAX NON-POWERED PRESSURE REDISTRIBUTION SUPPORT SURFACE



Weight Limit: 500 lbs

Sleep Surface: 36" x 80"; 42" x 80"; 48" x 80"; 36" x 84

Features: Exclusive valve system automatically allows the surface to custom adjust to each individual patient's pressure points
Heel Ease – reduces pressure in critical heel section
5 year warranty

SAFE PATIENT HANDLING



The Matrix bed frame is in full compliance with the FDA guidelines for reducing the risk of bed entrapment, "Hospital Bed System Dimensional and Assessment Guidance to Reduce Entrapment". Details can be found at: www.fda.gov

DEFINED PERIMETER SUPPORT SURFACE COVER

- Sizes Available:** 36" x 80"; 36" x 84"; 42" x 80"; 48" x 80"
- Features:** Vapor permeable anti-shear cover allows for microclimate management
High density foam head and foot bolsters with center exit

MATRIX HI-LO FULL ELECTRIC BED FRAME

- Weight Limit:** 450 lbs
- Sleep Surface:** Available in 36" x 80"; 42" x 80"; 36" x 84"; 42" x 84"
- Sleep Decking:** Adjustable height from 8.95" to 27"
- Optional Accessories:** Trapeze bar
Overbed table
Hand control with Trendelenburg and Reverse Trendelenburg options

PATIENT TRANSFER SYSTEM

- Weight Limit:** Standard – 250 lbs • Bariatric – 400 lbs and 750 lbs
- Features:** Allows a single caregiver to safely transfer a patient
Unlimited repositioning capabilities
Provides the safest transfer possible
Creates a more positive patient experience
May reduce work-related injuries
HCPCS Codes: E1035 and E1036



FALL PREVENTION



FLOORBED

Prevents “Out of Bed” Falls

- Weight Limit:** Standard – 330 lbs • Bariatric – 496 lbs
- Sleep Surface:** Available in 36” x 80”; 36” x 84”; 42” x 80”; 42” x 84”
- Height Range:** 2.8” to 26” (3.1” to 26” in Bariatric)
- Features:** Trendelenburg and Reverse Trendelenburg
- Optional Accessories:** 6” Foam Safety Mat - reducing a fall to a “roll”, plane to plane
Assist Bar



EMPRESA

Ultra Low Bed with Advanced Clinical Functionality and Elegant Design

- Sleep Surface:** 36” x 80”
- Height Range:** 3.9” - 31.5”
- Weight Limit:** 525 lbs
- Features:** Cardiac Chair, Trendelenburg and Reverse Trendelenburg Positions
Customizable finish and headboard and footboard options
BodyMove™ technology adjusts the bed’s sections to reduce pressure on sensitive areas



Sample Headboard/Footboard Options

BARIATRIC EQUIPMENT AND ACCESSORIES



BARIATRIC FULL ELECTRIC BED FRAME

Weight Limit: Up to 1000 lbs

Sizes Available: 42" - 54" widths

Optional Accessories: Trapeze bar

Scale

Additional side rails

H&R Healthcare carries a full line of bariatric support surfaces



BARIATRIC WHEELCHAIR

Weight Limit: 500 lbs and 650 lbs

Sizes Available: 24", 26" and 30"

Highback tilt and recline wheelchair available

Adjustable length leg rests



BARIATRIC SHOWER WHEELCHAIR

Weight Limit: 750 lbs

BARIATRIC PATIENT LIFT WITH SCALE

Lower Base Height Maximizes Stability and Fits Under Most Beds



Weight Limit: 500 lbs (optional scale) and 1000 lbs

PATIENT SIT TO STAND LIFT

Weight Limit: 400 lbs and 600 lbs



Standard sizes available



CLINICAL CARE RECLINER

Weight Limit: 450 - 850 lbs

Sizes Available: 30" and 40"



BARIATRIC SHOWER CHAIRS AND COMMODES

Weight Limit: 400 lbs and 600 lbs

Multiple Sizes Available



BARIATRIC TRAPEZE

Weight Limit: 450 lbs, 600 lbs, and 1000 lbs



BARIATRIC WALKER

Weight Limit: 600 lbs

Standard sizes available

SPECIALTY EQUIPMENT

BRODA CHAIRS



Tilt-in-Space Positioning Wheelchair



Foot Propelled Mobility Wheelchair

- Comfort Tension Seating® provides comfort and pressure reduction
- Provides mobility for active residents
- Dynamic rocking feature available
- Reduce staff injuries caused by transferring or repositioning patients
- Implement a “no lift” or “no fall” program in your facility
- Multiple sizes available
- Customized Broda wheelchair options available by special order



TRAVERSA TRANSPORT CHAIR

The Future of NEMT



- Crash tested to meet WC19 standards for wheelchair transportation
- Trips with the Traversa are less expensive than using a stretcher or gurney and can replace up to 90% of current stretcher trips
- Enhanced patient comfort
- Stretcher position with removable armrests and shoulder supports for safe and easy transfers in and out of bed
- Maneuvers easily in tight spaces



POWER LIFT RECLINER

Weight Limit: 325 lbs

Features: Reduces out-of-chair falls
Slowly lifts user to standing position
Extends to full recline position ideal for napping or relaxing
Quiet & smooth lift system
Integrated battery backup in case of power failure



Tilt-in-Space

CONFIGURA ADVANCE FULLY ADJUSTABLE COMFORT CHAIR

Dropdown armrest option - helps with transfers and sling access
10 degrees of forward tilt
BodyMove™ technology reduces shear and offloads pressure
Adjustable seat height, depth and width
Adjustable footplate height and angle
Legrest elevation
37 degrees of tilt-in-space



RELIEF CHAIR ALTERNATING PRESSURE CLINICAL CARE RECLINER CUSHION

IPS Technology (Intelligent Pressure Sensing)

For prevention and treatment of wounds

Digital screen

Weight limit: 250 lbs

WHEELCHAIR CUSHIONS

Multiple Sizes Available



Gel Cushions have a unique channeled gel bladder that prevents migration in high-pressure areas and provides relief over the entire cushion area

SPP Cushions reduce surface pressure using non-aqueous Dura Gel™ in three pressure zones. The moderate front to back slope aids in positioning, and side wedges provide lateral stability

Zone Cushions consist of three air bladders with adjustable valves. When the valves are opened or closed, the cushion automatically adapts air distribution to the individual patient, promoting optimal positioning and pressure redistribution. The Zone cushion refills without a pump by simply opening the air valves, allowing for easy resetting



POSEY ENCLOSURE BED

Prevents Patient Falls and Injuries

Designed to provide a safe, controlled environment for patients at risk of injury from an unassisted bed exit

Canopy attaches to compatible bed frames

Reduces the cost and need of “sitters”



DVT (DEEP VEIN THROMBOSIS) PREVENTION THERAPY SYSTEM

Increases venous blood flow

Pneumatic compression device

Garments available for calf, calf-thigh, and foot

Customizable treatment mode

Bilateral and unilateral modes

Portability

Easy application

HCPCS Code: E0676/E0651



SMARTVEST-WRAP AIRWAY CLEARANCE SYSTEM

Provides high frequency chest wall oscillation (HFCWO)

HFCWO eliminates concerns associated with manual chest physical therapy (CPT)

Reduces re-hospitalizations for respiratory and lung infections

Wraps available in multiple sizes (single patient use supports infection control requirements)

Single hose design

Simple interface to customize treatment protocols, including frequency, pressure and session duration



LYMPHEDEMA COMPRESSION THERAPY SYSTEM

Intermittent pneumatic compression (IPC) pump used to treat chronic lymphatic and venous disorders of the lower extremities and chronic lymphatic disorders of the upper extremities

Digital controls and easy-to-read LCD screen

Quiet gradient sequential inflation/deflation cycle provides patient with comfortable edema reducing therapy

Garments available for half leg, full leg, or arms

At H&R Healthcare, we view ourselves not as your vendor but as your partner. As part of our commitment to meeting customers' needs, we offer many benefits including:

- Clinical Support: Wound Certified Licensed Nurses provide in-servicing, education and training.
- Our trained Service Technicians set-up and provide instruction on the use of equipment at the time of delivery. Once equipment is placed, our Service Department provides support and routine maintenance.
- Expertise in Third Party Billing: In network with Medicare, Medicaid, managed care and many private insurances as well as Hospice and private pay.
- Quality Assurance Program: Our QA representatives assist in monitoring changes in payer status and discharges to ensure accurate billing.
- Varying pricing structures to meet our customers' financial needs including rental, purchase and our capped rental program.
- Our Repair and Warranty Department handles the needs of our facilities' owned equipment.

Our success is driven by our commitment to understanding our customers' needs.

“

My clinical and operational teams always try to find the most cost-effective products that deliver the quality outcomes we need. H&R ensures that we receive the most benefit, both clinically and financially. Their personalized approach makes it easy to do business with them.

”

• **Yosef Daskal**
Founding Principal, Synergy

H&R Healthcare

Corporate Headquarters

1750 Oak Street
Lakewood, NJ 08701

(732) 367-5533

www.handrhealthcare.com