

Peace of mind through service, support, and solutions.







Providing best-in-class equipment in acute, long-term, and home care settings to reduce operating costs, improve compliance, and enhance clinical outcomes.



Industry Leading Responsiveness

- > Available 24/7/365
- Clinical Support
- > 30 Years of Industry Experience



Innovative Wound Care & Fall Prevention Solutions

- > Negative Pressure Wound Therapy
- Support Surfaces
- Safe Patient Handling

NEGATIVE PRESSURE WOUND THERAPY

NPWT Promotes Healing of Chronic, Diabetic, Vascular, and Surgical Wounds



XLR8+

Hospital-Grade "Smart" Pump



UNO

Single-Patient Use, Disposable Rechargeable XLR8+ Self-resolving advanced alarms with alert log

Features: Virtually silent operation

Over 12-hour battery run time

Carrying case for ease of portability

Continuous and Variable Pressure

Multiple languages

Lightweight pump

Easy programming and maintenance

HCPCS Code: E2402

600cc canister

Fully customizable settings between 40-230 mmHG

XLR8+ Simple, comfortable dressing protocol

Benefits: Clinical Support

Cost-effective positive clinical outcomes

XLR8+ Small, Medium and Large Kits

Available Dressings: Bridge Kit

Spiro Kit

PVA White Foam

Silver Drape

Gauze









UNO Features: 7, 15 or 30 days of therapy time

70cc Canister

Continuous and Variable Pressure

Settings at 80 mmHG or 125mmHG

Small, Medium, and Large Dressing Kits

HCPCS Code: A9272

Rechargeable

Hybrid Silicone

Dressing Kit:

Easy to apply and reposition,

saving time during dressing changes

Silicone adhesive is gentler on the skin and reduces adhesive reactions

Can leave in place for 7 days



We had a wonderful experience using the All In One Hybrid Dressing. It provided a very easy and quick dressing change. I would like to use it for all wounds. So simple.

Great feature that it is flexible and provides a silicone adhesive layer requiring fewer dressing changes. This appears to be very comfortable for the resident with less damage to the skin when doing the dressing as no harsh pulling.

Alice Gatasi

ADNS/Wound Nurse, Bronx Park Rehabilitation & Nursing Center

SUPPORT SURFACES





IPS technology allows the system to ensure ideal pressure levels in the inflated zone by monitoring the air pressure every six seconds. This controlled movement of the air cells gives the benefit of alternating pressure without the extremely high peak pressures. The result is better patient comfort, lower interface pressures, and superior clinical results.



DYNO RELIEF ALTERNATING PRESSURE MATTRESS REPLACEMENT SYSTEM WITH LOW AIR LOSS

Weight Limit: 325 lbs

Sizes Available: 36" x 80"; 36" x 84"

Features: IPS (Intelligent Pressure Sensing) Technology

Turn-and-lock knob to adjust patient weight



RELIEF AIRE ALTERNATING PRESSURE MATTRESS REPLACEMENT SYSTEM WITH LOW AIR LOSS

Weight Limit: 450 lbs

Sizes Available: 36" x 80"; 42" x 80"; 36" x 84"

Features: IPS (Intelligent Pressure Sensing) Technology

Digital display with adjustable cycle times

Upright mode gives added support while in the articulated position to help prevent "bottoming out"

Firm mode inflates the system rapidly to help facilitate

transfers and nursing procedures

Firm mode disables automatically after 20 minutes of inactivity

Digital panel automatically locks after three minutes of inactivity





RELIEF AIRE TRUE LOW AIR LOSS MATTRESS REPLACEMENT SYSTEM

Weight Limit: Standard - 300 lbs • Bariatric - up to 1000 lbs

Sizes Available: 36" x 80"; 42" x 80"; 48" x 80"; 54" x 80"; 36" x 84

Features: Simulates a fluid air environment. Patient is immersed and surrounded by air

Vapor permeable cover maintains climate and moisture control

Upright mode provides additional support and aids in preventing

"bottoming out"

Twenty 8" tall air cells

Emergency CPR rapid deflate feature

Max Inflate mode inflates mattress to maximize pressure within

seconds to help with transfers and nursing procedures

Max Inflate disables automatically after 25 minutes of inactivity

TITAN FULLY INTEGRATED LOW AIR LOSS THERAPY BED SYSTEM

True Low Air Loss Surface with Micro-climate Control

Weight Limit: 600 lbs

Sleep Surface: 36" x 84"

Features: Provides pressure relief with the reduction of moisture, shear, and friction

Hi/Lo - Deck height 7" to 30"

Full Electric Articulation

Multiple modes of operation

3 Pressure zones for advanced pressure relief

HCPCS Code: E0193

RELIEF TURN TURNING MATTRESS REPLACEMENT SYSTEM

Continuous Lateral Rotation + True Low Air Loss

Weight Limit: Standard - 650 lbs • Bariatric - up to 1000 lbs

Sizes Available: 36" × 80"; 42" × 80"; 48" × 80"

Features: Cost-effective solution with multiple therapies in one,

reducing wound healing time and overall costs

Lateral Rotation Therapy reduces the risk of pulmonary and respiratory complications for immobile patients

and provides pressure redistribution

Customizable Turning: Left/Right/Full; 25° Small Turn and 40° Big Turn

Cycle time 5-95 minutes



Weight Limit: 400 lbs

Sleep Surface: 32" x 84"

Features: Available in NJ, PA

HCPCS Code: E0194







REDUCE MAX PRESSURE REDISTRIBUTION SURFACE

Non-Powered Patented Anatomic Zoning Reduces Overall Pressure

Weight Limit: 400 lbs

Sizes Available: 36" x 80"; 42" x 80"; 36" x 84

Features: Preventative – for treatment of single Stage 1-2 wounds

Available with a raised 2" side bolster – provides perimeter to

reduce risk for falls

Heel Ease – reduces pressure in critical heel section

RELIEF MAX PRESSURE REDISTRIBUTION AND RELIEVING SUPPORT SURFACE

Non-Powered Pressure Relief

Weight Limit: 500 lbs

Sleep Surface: 36" x 80"; 42" x 80"; 48" x 80"; 36" x 84

Features: Exclusive valve system automatically allows the system to custom adjust

to each individual patient's pressure points

Heel Ease – reduces pressure in critical heel section



SAFE PATIENT HANDLING



The Matrix bed and accessories are in full compliance with the FDA guidelines for reducing the risk of bed entrapment, "Hospital Bed System Dimensional and Assessment Guidance to Reduce Entrapment". Details can be found at: www.fda.gov



DEFINED PERIMETER SUPPORT SURFACE COVER

Sizes Available: 36" x 80"; 36" x 84", 42" x 80"; 48" x 80"

Features: Vapor permeable cover compatible with Alternating

Pressure LAL and Low Air Loss Support Surfaces

High density head and foot foam bolsters

MATRIX HI-LO FULL ELECTRIC BED FRAME

Weight Limit: 450 lbs

Sleep Surface: Available in 36" x 80"; 42" x 80"; 36" x 84"; 42" x 84"

Sleep Decking: Adjustable height from 8.95" to 27"

Optional Accessories: Trapeze bar

Additional side rail

PATIENT TRANSFER SYSTEM

Weight Limit: Standard – 250 lbs • Bariatric – 400 lbs and 750 lbs

Features: Allows a single caregiver to safely transfer a patient

Unlimited repositioning capabilities
Provides the safest transfer possible

Creates a more positive patient experience

May reduce work-related injuries

HCPCS Codes: E1035 and E1036

FALL PREVENTION



Upgraded Empresa Floor Bed







FLOORBED

Reduces "out of bed" falls

Standard – 330 lbs • Bariatric – 496 lbs Weight Limit:

Sleep Surface: Available in 36" x 80"; 36" x 84"; 42" x 80"; 42" x 84"

Adjustable height from 2.8" to 26" (3.1" to 26" in Bariatric) Sleep Decking:

Optional Accessories: 6" Foam Safety Mat - reducing a fall to a "roll", plane to plane

Head and Foot Board Bumpers

Assist Bar

Pump Bracket

POWERED LIFT CHAIR

325 lbs Weight Limit:

Reduces out-of-chair falls Features:

Slowly lifts user to standing position

Extends to full recline position ideal for napping or relaxing

Quiet & smooth lift system

Fire retardant

Integrated battery backup in case of power failure

BARIATRIC EQUIPMENT AND ACCESSORIES



BARIATRIC FULL ELECTRIC BED FRAME

Weight Limit:

600 - 1000 lbs

Sizes Available:

42" - 54" widths

Optional Accessories: Trapeze bar

Scale

Additional side rails

H&R Healthcare carries a full line of bariatric support surfaces



BARIATRIC WHEELCHAIR

Weight Limit: 500 lbs and 650 lbs

Sizes Available: 24", 26" and 30"



BARIATRIC COMMODE

Weight Limit: 400 lbs and 600 lbs

Sizes Available: 24" and 30"

BARIATRIC PATIENT LIFT

Lower base height maximizes stability and fits under most beds

Weight Limit: 500 and 1000 lbs

Options: With and without scales

Assorted Slings

Patient sit-to-stand: 400 lbs and 600 lbs



Standard sizes available

BARIATRIC SHOWER WHEELCHAIR

Weight Limit: 750 lbs



BARIATRIC GERI CHAIRS

Weight Limit:

450 - 850 lbs

Multiple Sizes Available



BARIATRIC SHOWER CHAIR

Weight Limit:

600 lbs

Multiple Sizes Available



BARIATRIC TRAPEZE

450 lbs, 600 lbs, and 1000 lbs



BARIATRIC WALKER

Weight Limit:

600 lbs and 700 lbs

Multiple Sizes Available

Standard sizes available

SPECIALTY EQUIPMENT





BRODA CHAIRS

Broda Seating Manufactures a Complete Line of Seating Options

Provide comfort and pressure reduction

Provide mobility for active residents

Improve safe patient handling

Reduce staff injuries caused by transferring or repositioning patients

Implement a "no lift" or "no fall" program in your facility



www.brodaseating.com

CONFIGURA ADVANCE FULLY ADJUSTABLE COMFORT CHAIR

Width and depth adjustment from 16" to 22"

Dropdown armrest option - helps with transfers and sling access

Legrest elevation and Bodymove technology with 37 degrees of tilt-in-space

10 degrees of forward tilt

Bodymove 'reduced shear' backrest with 130 degree recline

Angle and height adjustable footplate



DVT (DEEP VEIN THROMBOSIS) PREVENTION THERAPY SYSTEM

Increases venous blood flow

Pneumatic compression device

Garments available for calf, calf-thigh, and foot

Customizable treatment mode

Bilateral and unilateral modes

Portability

Easy application

HCPCS Code: E0651

WHEELCHAIR CUSHIONS

Multiple Sizes Available



SPP Cushions reduce surface pressure using non-aqueous Dura Gel $^{\text{TM}}$ in three pressure zones. The moderate front to back slope aids in positioning, and side wedges provide lateral stability.

Zone Cushions have 3 separate zones with separate air valves in order to adjust positioning, customize comfort and create pressure relief. The cushion automatically adjusts based on the weight and pressure points of individual patient. The cover is fluid resistant and machine washable. No pump.





LYMPHEDEMA COMPRESSION THERAPY SYSTEM

Intermittent pneumatic compression (IPC) pump used to treat chronic lymphatic and venous disorders of the lower extremities and chronic lymphatic disorders of the upper extremities

Digital controls and easy-to-read LCD screen

Quiet gradient sequential inflation/deflation cycle provides patient with comfortable massage-like therapy

Garments available for half leg, full leg, or arms





Lightweight with universal left/right design

Digital control

Weight limit: 350 lbs

Knee Flexion ROM Limit: 120 degrees

Knee Extension Limit: 10 degrees Hyper Extension

Knee Speed Range: 30 degrees/min. to 150 degrees/min. nominal

Calf Length Range (knee joint to sole of foot): 10" to 23.5"

Thigh Length Range (hip joint to knee joint): 12" to 19"







POSEY ENCLOSURE BED

FDA Cleared Restraint Option

Prevents Patient Falls and Bed Entrapment

Provides the least restrictive solution, allowing patient mobility and range-of-motion within the enclosure

Canopy attaches to compatible bed frames

Four access panels provide easy patient care

Ten access ports

Reduces the cost and need of "sitters"

RELIEF CHAIR ALTERNATING PRESSURE GERI-CHAIR RECLINER CUSHION

For treatment and prevention of wounds

IPS Technology (Intelligent Pressure Sensing)

Four hour battery charge

Digital screen

Weight limit: 250 lbs



CUFF S CUFF M

SMARTVEST-WRAP AIRWAY CLEARANCE SYSTEM

Provides high frequency chest wall oscillation (HFCWO)

HFCWO eliminates concerns associated with manual chest physical therapy (CPT)

Reduces re-hospitalizations for respiratory and lung infections

Wraps available in multiple sizes (single patient use supports infection control requirements)

Single hose design

Frequency of protocols are set with a simple interface

HCPCS Code: E0483

CUFF M (MOBILE) CUFF S (STATIONARY), SUBGLOTTIC ASPIRATION SYSTEM

Only FDA Cleared Subglottic Aspiration System

Reduces incidents of VAP (Ventilator Acquired Pneumonia) and pulmonary infections

The most advanced solution for the aspiration of subglottic secretion

Parameters are set to automatically suction for the desired frequency and duration

MBAR is clearly set at an exact pressure of 20 to 300

Customized to individual patient's clinical needs

Self—contained collection canisters prevent cross-contamination and minimize infection control concerns

Increased patient comfort during the aspiration process

At H&R Healthcare, we view ourselves not as your vendor but as your partner. As part of our commitment to meeting customers' needs, we offer many benefits including:

- Clinical Support: Wound Certified Licensed Nurses provide in-servicing, education and training.
- Our trained Service Technicians set—up and provide instruction on the use of equipment at the time of delivery. Once equipment is placed, our Service Department provides support and routine maintenance.
- Expertise in Third Party Billing: In network with Medicare, Medicaid, managed care and many private insurances as well as Hospice and private pay.
- Quality Assurance Program: Our QA representatives assist in monitoring changes in payer status and discharges to ensure accurate billing.
- Varying pricing structures to meet our customers' financial needs including rental, purchase and our capped rental program.
- Our Repair and Warranty Department handles the needs of our facilities' owned equipment.

Our success is driven by our commitment to understanding our customers' needs.



My clinical and operational teams always try to find the most cost-effective products that deliver the quality outcomes we need. H&R ensures that we receive the most benefit, both clinically and financially. Their personalized approach makes it easy to do business with them.

Yosef Daskal
 Founding Principal, Synergy

H&R Healthcare

Corporate Headquarters

1750 Oak Street Lakewood, NJ 08701

(732) 367-5533

www.handrhealthcare.com